

User-friendly Summary of Test Results for UltraWater *performed by:*



All test results are certified and performed in NELAP accredited labs to proper EPA Standards.

Abstract: All tests performed were done in manner to replicate the flow rates and contact times of AlkaViva ionizers with a flow rate of 3 liters per minute. No ionizers, or form of electrolysis was used in testing.

All control water samples, influent samples, were created using DI water then spiked with contaminant samples from ERA Labs (<http://www.eraqc.com>) and scanned separately for accurate starting values without passing through UltraWater filters.

All filters were flushed prior to testing using 10 gallons of DI water, than cleared of excess water by air. Prior to collection approximately 2 liters of control water sample was passed through and the effluent samples were collected at this time.

Testing for the sample group of heavy metals, disinfectants, VOCs and anions were performed by Silver State Analytical Laboratories and completed on 12/10/12 using the UltraWater Filtration System. The Anions group was tested with the addition of a Fluoride Shield. Testing for a sample group of PPCP (Pharmaceuticals and Personal Care Products) was performed by MHW on 8/3/12 using the UltraWater Filtration System only. Glyphosate testing was performed by eurofins / Eaton Analytical on 4/14/16 using the UltraWater Filtration System only. Original lab reports available upon request.

Test Result Definitions:

Influent = The levels found in the control sample prior to passing through the UltraWater Filtration System.

Effluent = The levels found in the collected sample after passing through the UltraWater Filtration System.

mg/L = Milligrams per liter, or Parts Per Million (PPM)

ug/L = Nanograms per Liter, or Parts Per Billion (PPB)

ND = Nondetectable levels were found in testing. ND is an indicator if the lowest level of accurate reporting based on the equipment's capabilities and the type of tests performed.



Drinking Water Contaminant	Influent Contaminant Level	Unit of Measure	UltraWater Results (Effluent)	Reporting Limits
----------------------------	----------------------------	-----------------	-------------------------------	------------------

Disinfectants and other Anions

Total Residual Chlorine	1	mg/L	ND	0.25
Free Chlorine	0.33	mg/L	ND	0.25
Fluoride	2.27	mg/L	ND	0.5
Nitrate as N	0.73	mg/L	ND	0.1
Nitrite as N	0	mg/L	ND	0.1
TDS	105	mg/L	100	10

Heavy Metals

Aluminum	0.695	mg/L	0.216	0.01
Antimony	0.0313	mg/L	ND	0.001
Arsenic	0.466	mg/L	ND	0.001
Barium	0.932	mg/L	0.00103	0.001
Beryllium	0.00482	mg/L	ND	0.001
Boron	1.69	mg/L	0.722	0.01
Cadmium	0.0471	mg/L	ND	0.001
Chromium	0.179	mg/L	ND	0.001
Chromium VI	0.958	mg/L	ND	0.0005
Copper	0.41	mg/L	ND	0.001
Iron	1.36	mg/L	0.0103	0.01
Lead	0.0988	mg/L	ND	0.001

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million,
*ug/L=Nanograms Per Liter, or Parts Per Billion



Drinking Water Contaminant	Influent Contaminant Level	Unit of Measure	UltraWater Results (Effluent)	Reporting Limits
Manganese	0.0912	mg/L	ND	0.01
Molybdenum	0.0675	mg/L	ND	0.001
Mercury	0.008	mg/L	ND	0.002
Nickle	0.0693	mg/L	ND	0.001
Selenium	0.0909	mg/L	ND	0.001
Silver	0.117	mg/L	ND	0.001
Thalium	0.0071	mg/L	ND	0.001
Vanadium	0.977	mg/L	ND	0.001
Zinc	0.585	mg/L	ND	0.001
<u>Volitile Organics</u>				
1,1,1,2-Tetrachloethane	201	ug/L	ND	5
1,1,1-Trichlorethane	156	ug/L	ND	5
1,1,2,2-Tetrachloroethane	616	ug/L	ND	5
1,1,2-Trichloroethane	60.2	ug/L	ND	5
1,1-Dichlorethane	397	ug/L	5.43	5
1,1-Dichloroethene	98.5	ug/L	ND	5
1,1-dichloropropene	246	ug/L	ND	5
1,2,3-Trichloropropane	528	ug/L	ND	5
1,2,4-Trichlorobenzene	101	ug/L	ND	5

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million,
*ug/L=Nanograms Per Liter, or Parts Per Billion



Drinking Water Contaminant	Influent Contaminant Level	Unit of Measure	UltraWater Results (Effluent)	Reporting Limits
1,2,4-Trimethylbenzene	192	ug/L	ND	5
1,2-Dichlorobenzene	228	ug/L	ND	5
1,2-Dichloroethane	108	ug/L	ND	5
1,2-Dichloropropane	186	ug/L	ND	5
1,3,5-Trimethylbenzene	387	ug/L	ND	5
1,3-Dichloropropane	275	ug/L	ND	5
1,4-Dichlorobenzene	203	ug/L	ND	5
2,2-Dichloropropane	179	ug/L	ND	5
2-Chlorotoluene	429	ug/L	ND	5
4-Chlorotoluene	94.5	ug/L	ND	5
Benzene	172	ug/L	ND	5
Bromobenzene	59.6	ug/L	ND	5
Carbon Tetrachloride	153	ug/L	ND	5
Chlorobenzene	231	ug/L	ND	5
cis-1,2-dichloroethane	366	ug/L	ND	5
cis-1,3-Dichloropropene	145	ug/L	ND	5
Dibromomethane	156	ug/L	ND	5
Dichlorodifluoromethane	160	ug/L	ND	5
Ethylbenzene	262	ug/L	ND	5
Glyphosate	860	ug/L	ND	6

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million,
*ug/L=Nanograms Per Liter, or Parts Per Billion



Drinking Water Contaminant	Influent Contaminant Level	Unit of Measure	UltraWater Results (Effluent)	Reporting Limits
Hexachlorobutadine	80.3	ug/L	ND	5
Isopropylbenzene	328	ug/L	ND	5
m+p-Xylene	72.5	ug/L	ND	5
Methylene chloride	266	ug/L	ND	5
methyl-t-butyl ether (MTBE)	372	ug/L	5.36	5
Napthalene	124	ug/L	ND	5
n-Propylbenzene	247	ug/L	ND	5
o-Xylene	59.8	ug/L	ND	5
p-isopropyltoluene	124	ug/L	ND	5
Styrene	85.4	ug/L	ND	5
tert-Butylbenzene	318	ug/L	ND	5
Tetrachloroethane	168	ug/L	ND	5
Toluene	265	ug/L	ND	5
trans-1,2-Dichloroethane	186	ug/L	ND	5
trans-1,3-Dichloropropene	205	ug/L	ND	5
Trichloroethane	259	ug/L	ND	5
Vinyl Chloride	136	ug/L	ND	5

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million,
*ug/L=Nanograms Per Liter, or Parts Per Billion



Compounds Action	Influent Compound Level (ng/L)	AlkaViva UltraWater Results	Reporting Limit (ng/L)
<u>Hormones</u>			
Contraceptive Hormone	500	ND	5
Estrogenic Hormone	380	ND	5
Estrogenic Hormone	400	ND	5
Steroid Hormone	370	ND	5
Steroid Hormone	600	ND	5
Steroid Hormone	550	ND	5
Steroid Hormone	410	ND	10
<u>Over the Counter</u>			
Analgesic	640	ND	5
Analgesic	530	ND	5
Analgesic-NSAID	1800	ND	10
<u>Prescription Drugs</u>			
Analgesic	280	ND	5
Analgesic-NSAID	310	ND	5
Anti anxiety	520	ND	5
Anti Asthmatic	1800	ND	5
Anti Asthmatic	310	ND	10
Anti Convulsant	230	ND	5
Anti Inflammatory	390	ND	5
Anti Inflammatory	280	ND	5

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million,
*ug/L=Nanograms Per Liter, or Parts Per Billion



Compounds Action	Influent Compound Level (ng/L)	AlkaViva UltraWater Results	Reporting Limit (ng/L)
Anti Inflammatory	230	ND	5
Anti Inflammatory	380	ND	5
Anti seizure	480	ND	5
Antibiotic	480	ND	20
Antibiotic	31000	810	5
Antibiotic	360	ND	5
Antibiotic	700	ND	10
Antibiotic	110	ND	10
Antibiotic	270	ND	10
Antibiotic	1200	ND	10
Antibiotic	84	ND	5
Antibiotic	200	ND	5
Anti-cholesterol	470	ND	5
Anticoagulant	860	ND	5
Antidepressant	470	ND	10
Anti-Seizure	2400	ND	20
Beta Blocker	1000	ND	5
Beta Blocker	3400	ND	20
Blood thinner	490	ND	5
Calcium Blocker	1600	87	20

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million,
 *ug/L=Nanograms Per Liter, or Parts Per Billion



Enzyme	120	ND	5
H2 Blocker	4400	ND	5
Heart Medication	230	ND	5
Lipid Regulator	1200	ND	5
Lipid Regulator	450	ND	5
Muscle Relaxant	540	ND	5
Sulfa Antibiotic	3400	ND	5
Sulfa Antibiotic	550	ND	5
Sulfa Antibiotic	170	ND	5
Sulfa Antibiotic	630	ND	5
Sulfa Antibiotic	200	ND	5
	Influent Compound Level (ng/L)	AlkaViva UltraWater Results	Reporting Limit (ng/L)
Compounds Action			
Sulfa Antibiotic	270	ND	5
Sulfa Antibiotic	200	ND	5
Sulfa Antibiotic	290	ND	5
Triazide	880	ND	5
Valium- Antianxiety	620	ND	5
<i>Stimulants</i>			
Caffeine Degradate	700	ND	5
Caffeine Degradate	560	ND	5
Nicotine Degradate	1900	ND	10
Stimulant	780	ND	5

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million, *ug/L=Nanograms Per Liter, or Parts Per Billion



Analgesic-NSAID	240	ND	10	
<u>Personal Care Products</u>				
Antibacterial	1000	ND	10	
Mosquito Repellant	340	ND	2	
<u>Preservatives</u>				
Preservative	730	ND	5	
Preservative	2100	ND	20	
Preservative	780	ND	5	
Preservative	1400	ND	20	
Preservative	270	ND	5	
<u>Pesticides/Herbicides</u>				
Herbicide	250	ND	5	
Herbicide	480	ND	5	
Herbicide	440	ND	5	
Herbicide	940	ND	5	
Herbicide	2000	ND	100	
Herbicide	420	ND	5	
	Influent Compound Level (ng/L)	AlkaViva UltraWater Results	Reporting Limit (ng/L)	
Herbicide	520	ND	5	
Pesticide	250	ND	5	
Triazine Herbicide	390	ND	5	
Triazine Herbicide	16	ND	5	

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million,
*ug/L=Nanograms Per Liter, or Parts Per Billion



Triazine Degradate	260	ND	5
Triazine Degradate	120	ND	5
Triazine Degradate	250	ND	5
Triazine Herbicide	340	ND	5
Triazine Herbicide	120	ND	5
<u>Wastewater Indicators</u>			
Flame Retardant	29	ND	5
Flame Retardant	440	ND	5
Flame Retardant	1000	ND	5
Plasticizer	270	ND	10
Sugar Substitute	1300	ND	20
Sugar Substitute	15000	ND	100
Surfactant	710	ND	100
Surfactant	400	ND	50
X-ray Contrast agent	240	ND	10
X-ray Contrast agent	290	ND	5

*ND=Non-Detectable levels were found, *mg/L=Milligrams Per Liter, or Parts Per Million,
*ug/L=Nanograms Per Liter, or Parts Per Billion